

Genus *Strabena* Mabille, 1877

High-eyes

Petites Nouvelles Entomologiques **2**: 157 (157-158).

Type-species: *Strabena smithii* Mabille, by monotypy.

= *Callyphthima* Butler, 1880. *Annals and Magazine of Natural History* (5) **5**: 335 (333-344, 384-395). Type-species: *Pseudonympha wardii* Butler, by original designation.

The genus *Strabena* belongs to the Family Nymphalidae Rafinesque, 1815; Subfamily Satyrinae Boisduval, 1833; Tribe Satyrini Boisduval, 1833; Subtribe Ypthimina, Reuter, 1896. The other genera in the Subtribe Ypthimina in the Afrotropical Region are *Ypthima*, *Ypthimomorpha*, *Mashuna*, *Mashunoides*, *Neocoenyra*, *Coenyropsis*, *Coenyra*, *Neita*, *Melampias*, *Cassionympha*, *Pseudonympha*, *Paternympha* and *Stygionympha*.

Strabena (**High-eyes**) is an Afrotropical genus containing 37 species, all from the mainland of Madagascar (Lees *et al.*, 2003).

Strabena goudoti (Mabille, [1885])

Pseudonympha goudoti Mabille, [1885] *in* Grandidier, [1885-7]. *Histoire, Physique, Naturelle et Politique de Madagascar* pl. 3 (18 [1887]: 364 pp.; 19 [1885]: 55pls.).

Strabena goudoti. Lees *et al.*, 2003.

Type locality: Madagascar: “Environs de Foulepointe”.

General remarks: Forms a clade with *Strabena isoalensis* and *Strabena martini* (Lees *et al.*, 2003).

Distribution: Madagascar.

Specific localities:

Madagascar – near Foulepointe (TL).

Habitat: Transformed grasslands (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena isoalensis Paulian, 1951

Strabena isoalensis Paulian, 1951. *Mémoires de l'Institut Scientifique de Madagascar* (A) **6**: 387 (387-394).

Type locality: Madagascar: “Isalo, dans les cañons de la Ranomena”.

Distribution: Madagascar (west).

Specific localities:

Madagascar – Isalo (TL).

Habitat: Unknown (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena martini Oberthür, 1916

Strabena martini Oberthür, 1916. *Études de Lépidoptérologie Comparée* **11**: 189 (177-244).



Strabena martini [Taxon identified by S. Collins, ABRI]. Male. Left – upperside; right – underside.
Andasibe, Madagascar. 4 April 2018. M. Williams.
Images M.C. Williams ex Dobson Collection.

Type locality: Madagascar: “Sans doute près de Tamatave [Toamasina]”.

General remarks: Apparently last collected by Decary in Maromandia and Mananara in 1922 (Lees *et al.*, 2003).

Distribution: Madagascar (coast) (Lees *et al.*, 2003).

Specific localities:

Madagascar – Toamasina (TL); Maromandia (Decary, *vide* Lees *et al.*, 2003); Mananara (Decary, *vide* Lees *et al.*, 2003).

Habitat: Unknown (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena batesii (Felder & Felder, [1867])

Ypthima [sic] *batesii* Felder & Felder, [1867] *in* Felder & Felder, [1865-7]. *Reise der Österreichischen Fregatte Novara* 486 (549 pp.). Wien.

Strabena batesii. Lees *et al.*, 2003.

Type locality: Madagascar.

Distribution: Madagascar.

Specific localities:

Madagascar – Fianarantsoa (Oberthür, 1916).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

frater Oberthür, 1916 (as sp. of *Strabena*). *Études de Lépidoptérologie Comparée* **11**: 186 (177-244). Madagascar: “Fianarantsoa”. Treated as a valid species by Ackery *et al.* (1995) but regarded to be a synonym of *Strabena batesii* by Lees *et al.* (2003).

Strabena nepos Oberthür, 1916

Strabena nepos Oberthür, 1916. *Études de Lépidoptérologie Comparée* **11**: 187 (177-244).
Synonym of *Strabena batesii*. Ackery *et al.*, 1995.
Strabena nepos. Lees *et al.*, 2003.

Type locality: Madagascar: “d’Antsianaka, de Fianarantsoa et de Tananarive [Antananarivo]”.

Distribution: Madagascar.

Specific localities:

Madagascar – Antsianaka (TL); Fianarantsoa (Oberthür, 1916); Antananarivo (Oberthür, 1916); Mandritsara (Paulian, 1950).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

elwesi Aurivillius, 1899 *in* Aurivillius, 1898-9 (as ab. of *Ypthima batesii*). *Kungliga Svenska Vetenskapakademiens Handlingar* **31** (5): 77 (1-561). Madagascar: “Madagakar”. Treated as a synonym of *Strabena batesii* by Ackery *et al.* (1995) but regarded to be a synonym of *Strabena nepos* by Lees *et al.* (2003).

io Paulian, 1950 (as sp. of *Strabena*). *Naturaliste Malagache* **2**: 51 (51-52). Madagascar: “Mandritsara”. Treated as a valid species by Ackery *et al.* (1995) but regarded to be a synonym of *Strabena nepos* by Lees *et al.* (2003).

Strabena eros Viette, 1971

Strabena eros Viette, 1971. *Bulletin de la Société Entomologique de France* **76**: 149 (146-154).

Type locality: Madagascar: “Madagascar Centre, massif de l’Andringitra (partie orientale), forêt d’Anjavidilava, 2005 m”.

Distribution: Madagascar (central).

Specific localities:

Madagascar – Anjavidilava Forest (TL).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena germanus Oberthür, 1916

Strabena germanus Oberthür, 1916. *Études de Lépidoptérologie Comparée* **11**: 188 (177-244).

Type locality: Madagascar: “Antsianaka”.

Distribution: Madagascar.

Specific localities:

Madagascar – Antsianaka (TL).

Habitat: Unknown (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena affinis Oberthür, 1916

Strabena affinis Oberthür, 1916. *Études de Lépidoptérologie Comparée* **11**: 186 (177-244).

Type locality: Madagascar: “Fianarantsoa et Antsianaka”.

Distribution: Madagascar.

Specific localities:

Madagascar – Fianarantsoa (TL); Antsianaka (Oberthür, 1916).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena consobrina Oberthür, 1916

Strabena consobrina Oberthür, 1916. *Études de Lépidoptérologie Comparée* **11**: 188 (177-244).

Type locality: Madagascar: “Antsianaka”.

Distribution: Madagascar.

Specific localities:

Madagascar – Antsianaka (TL).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena mandraka Paulian, 1951

Strabena mandraka Paulian, 1951. *Mémoires de l'Institut Scientifique de Madagascar (A)* **6**: 391 (387-394).

Type locality: Madagascar: “La Mandraka”.

Distribution: Madagascar (central).

Specific localities:

Madagascar – Mandraka (TL).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena niveata (Butler, 1879)

Ypthima niveata Butler, 1879. *Annals and Magazine of Natural History* (5) **4**: 229 (227-246).

Strabena niveata. Lees *et al.*, 2003.

Type locality: Madagascar: “Antananarivo”.

Distribution: Madagascar.

Specific localities:

Madagascar – Antananarivo (TL); Fianarantsoa (Mabille, 1885); Antakares (Oberthür, 1916); Antsianaka (Oberthür, 1916).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

corynetes Mabille, 1885 (as sp. of *Strabena*). *In* Grandidier, [1885-7]. *Histoire, Physique, Naturelle et Politique de Madagascar* pl. 8 (**18** [1887]: 364 pp.; **19** [1885]: 55pls.). Madagascar: “environs de Fianarantsoa, capitale du pays des Betsitéo”. Treated as a valid species by Ackery *et al.* (1995) but regarded to be a synonym of *Strabena niveata* by Lees *et al.* (2003).

propinqua Oberthür, 1916 (as sp. of *Strabena*). *Études de Lépidoptérologie Comparée* **11**: 185 (177-244). Madagascar: “nord de Madagascar, aux Antakares, d’Isokitra à Diégo-Suarez”. Treated as a valid species by Ackery *et al.* (1995) but regarded to be a synonym [the female] of *Strabena niveata* by Lees *et al.* (2003).

rectilineata Oberthür, 1916 (as var. of *Strabena corynetes*). *Études de Lépidoptérologie Comparée* **11**: 183 (177-244). Madagascar: “Antsianaka et aux Antakares”. Treated as a synonym of *Strabena corynetes* by Ackery *et al.* (1995) but regarded to be a synonym of *Strabena niveata* by Lees *et al.* (2003).

Strabena albivittula (Mabille, 1880)

Satyrus albivittula Mabille, 1880. *Annales de la Société Entomologique de France* (5) **9**: 344 (291-348).
Strabena albivittula. Ackery *et al.*, 1995.

Type locality: Madagascar.

Distribution: Madagascar.

Habitat: Unknown (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena cachani Paulian, 1950

Strabena cachani Paulian, 1950. *Naturaliste Malagache* **2**: 52 (51-52).

Type locality: Madagascar: “Moramanga”.

Distribution: Madagascar (central).

Specific localities:

Madagascar – Moramanga (TL).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

albivituloides Paulian, 1951 (as sp. of *Strabena*). *Mémoires de l’Institut Scientifique de Madagascar* (A) **6**: 391 (387-394). Madagascar: “Madagascar-Centre: Moramanga”. Treated as a good species by Ackery *et al.* (1995: 309) but regarded to be a synonym of *Strabena cachani* by Lees *et al.* (2003).

Strabena excellens (Butler, 1885)

Ypthima excellens Butler, 1885. *Entomologist’s Monthly Magazine* **21**: 198 (198).

Synonym of *Strabena albivittula* (Mabille). Ackery *et al.*, 1995.

Strabena excellens. D’Abrera, 1997: 234.

Type locality: Madagascar: “Ankafana, Betsileo Country”.

Distribution: Madagascar.

Specific localities:

Madagascar – Ankafana (TL).

Habitat: Forest (Lees *et al.*, 2003).
Early stages: Nothing published.
Larval food: Nothing published.

parens Oberthür, 1916 (as sp. of *Strabena*). *Études de Lépidoptérologie Comparée* **11**: 184 (177-244).
Madagascar: “Malgaches”. Treated as a synonym of *Strabena albivittula* (Mabille) by Ackery *et al.* (1995: 309) but regarded to be a synonym of *Strabena excellens* by Lees *et al.* (2003).

Strabena triophthalma Mabille, [1885]



Upper- and underside of *Strabena triophthalma* at Perinet, Madagascar
Images courtesy Raimund Schutte

Strabena vinsoni var. *triophthalma* Mabille, [1885] in Grandidier, [1885-7]. *Histoire, Physique, Naturelle et Politique de Madagascar* pl. 4 (**18** [1887]: 364 pp.; **19** [1885]: 55pls.).



Strabena triophthalma. Male. Left – upperside; right – underside.
Madagascar. J. Dobson.
Images M.C. Williams ex Dobson Collection.

Type locality: Madagascar.
Distribution: Madagascar.
Specific localities:

Madagascar – Perinet Montadia forest and degraded surrounds (R. Schutte, pers. comm. April 2010).

Habitat: Forest and forest margins (Lees *et al.*, 2003).

Habits: A common resident (R. Schutte, pers. comm. April 2010).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena ibitina (Ward, 1873)

Mycalesis ibitina Ward, 1873. *Entomologist's Monthly Magazine* **10**: 60 (59-60, 151-152).
Strabena ibitina. Lees *et al.*, 2003.

Type locality: Madagascar.
Distribution: Madagascar.
Habitat: Forest (Lees *et al.*, 2003).
Early stages: Nothing published.
Larval food: Nothing published.

Strabena tsaratananae Paulian, 1951

Strabena tsaratananae Paulian, 1951. *Mémoires de l'Institut Scientifique de Madagascar (A)* **6**: 389 (387-394).

Type locality: Madagascar: "Mt. Tsaratanana, versant S., bord du torrent d'Andavaka, 1700 m".
Distribution: Madagascar (Samirano area).
Specific localities:
Madagascar – Mount Tsaratanana (TL).
Habitat: Forest (Lees *et al.*, 2003).
Early stages: Nothing published.
Larval food: Nothing published.

Strabena vinsoni (Guenée, 1865)

Yphtima [sic] *vinsoni* Guenée, 1865. *In*: Vinson, A., *Voyage à Madagascar au Couronnement de Radama II* 39 (25-48). Paris.
Strabena vinsoni. Lees *et al.*, 2003.

Type locality: Madagascar.
Distribution: Madagascar.
Habitat: Forest (Lees *et al.*, 2003).
Early stages: Nothing published.
Larval food: Nothing published.

Strabena rakoto (Ward, 1870)

Erebia rakoto Ward, 1870. *Entomologist's Monthly Magazine* **7**: 30 (30-32).
Strabena rakota. Lees *et al.*, 2003.



Strabena rakoto. Male. Left – upperside; right – underside.
Madagascar. J. Dobson.
Images M.C. Williams ex Dobson Collection.



Strabena rakoto. Female. Left – upperside; right – underside.
Madagascar. J. Dobson.
Images M.C. Williams ex Dobson Collection.

Type locality: Madagascar.

Distribution: Madagascar.

Habitat: Forest margins, transformed grassland and anthropogenic environments (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena soror Oberthür, 1916

Strabena soror Oberthür, 1916. *Études de Lépidoptérologie Comparée* **11**: 193 (177-244).

Type locality: Madagascar: “Antsianaka”.

Distribution: Madagascar.

Specific localities:

Madagascar – Antsianaka (TL).

Habitat: Unknown (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena perroti Oberthür, 1916

Strabena perroti Oberthür, 1916. *Études de Lépidoptérologie Comparée* **11**: 196 (177-244).

Type locality: Madagascar: “à Fianarantsoa l’autre à Antsianaka”.

Distribution: Madagascar.

Specific localities:

Madagascar – Fianarantsoa (TL); Antsianaka (Oberthür, 1916).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena modesta Oberthür, 1916

Strabena modesta Oberthür, 1916. *Études de Lépidoptérologie Comparée* **11**: 197 (177-244).

Type locality: Madagascar: “Antsianaka”.

Distribution: Madagascar.

Specific localities:

Madagascar – Antsianaka (TL).

Habitat: Unknown (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena modestissima Oberthür, 1916

Strabena modestissima Oberthür, 1916. *Études de Lépidoptérologie Comparée* **11**: 198 (177-244).

Type locality: Madagascar: “Sainte-Marie de Madagascar et Antsianaka”.

Distribution: Madagascar.

Specific localities:

Madagascar – Sainte-Marie (TL); Antsianaka (Oberthür, 1916).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena mabillei (Aurivillius, [1899])

Ypthima mabillei Aurivillius, [1899] *in* Aurivillius, [1898-9]. *Kungliga Svenska Vetenskapakademiens Handlingar* **31** (5): 76 (1-561).

Synonym of *Strabena aurivilliusi* d’Abrera, 1980. Ackery *et al.*, 1995.

Strabena mabillei. Lees *et al.*, 2003 **stat. rev.**

Type locality: Madagascar: “Sainte-Marie de Madagascar et Antsianaka”. Holotype in the Swedish Natural History Museum (images available at www2.nrm.se/en/lep_nrm/m).

Distribution: Madagascar.

Specific localities:

Madagascar – Sainte-Marie (TL); Antsianaka (Aurivillius, 1899).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

aurivilliusi d'Abrera, 1980 (as [unnecessary] replacement name for *Strabena mabillei* Aurivillius). *Butterflies of the Afrotropical region* 196 (593 pp.). Melbourne. Treated as a good species by Ackery *et al.* (1995: 309). Synonymised with *Strabena mabillei* by Lees *et al.* (2003).

Strabena mopsus (Mabille, 1878)

Satyrus mopsus Mabille, 1878. *Bulletin de la Société Entomologique de France* (5) **8**: 76 (75-77).
Strabena mopsus (Mabille, 1878). Lees *et al.*, 2003.

Type locality: Madagascar.
Distribution: Madagascar.
Habitat: Forest (Lees *et al.*, 2003).
Early stages: Nothing published.
Larval food: Nothing published.

Strabena consors Oberthür, 1916

Strabena consors Oberthür, 1916. *Études de Lépidoptérologie Comparée* **11**: 195 (177-244).

Type locality: Madagascar: “d’Antsianaka et de Fianarantsoa”.
Distribution: Madagascar.
Specific localities:
Madagascar – Antsianaka (TL); Fianarantsoa (Oberthür, 1916).
Habitat: Unknown (Lees *et al.*, 2003).
Early stages: Nothing published.
Larval food: Nothing published.

Strabena impar Oberthür, 1916

Strabena impar Oberthür, 1916. *Études de Lépidoptérologie Comparée* **11**: 197 (177-244).

Type locality: Madagascar: “Fianarantsoa”.
Distribution: Madagascar.
Specific localities:
Madagascar – Fianarantsoa (TL).
Habitat: Forest (Lees *et al.*, 2003).
Early stages: Nothing published.
Larval food: Nothing published.

Strabena smithii Mabille, 1877

Strabena smithii Mabille, 1877. *Petites Nouvelles Entomologiques* **2**: 157 (157-158).
Strabena smithi Mabille, 1877. Ackery *et al.*, 1995: 310 [misspelling].
Strabena smithii Mabille, 1877. Lees *et al.*, 2003.

Type locality: Madagascar [subsequently: “E parte orientali insulae Madgascar” (Lees *et al.*, 2003)].
Distribution: Madagascar.

Specific localities:

Madagascar – Fianarantsoa (Butler, 1879).

Habitat: Forest and forest margins (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

wardii Butler, 1879 (as sp. of *Pseudonympha*). *Cistula Entomologica* **2**: 390 (389-394). Madagascar: “Fianarantsoa”.

Strabena andilabe Paulian, 1951

Strabena andilabe Paulian, 1951. *Mémoires de l'Institut Scientifique de Madagascar* (A) **6**: 388 (387-394).

Type locality: Madagascar: “Mt. Tsaratanana, col d’Andilabe, à la lisière des broussailles éricoïdes”.

Distribution: Madagascar (Sambirano area).

Specific localities:

Madagascar – Mount Tsaratanana (TL).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena daphne Viette, 1971

Strabena daphne Viette, 1971. *Bulletin de la Société Entomologique de France* **76**: 151 (146-154).

Type locality: Madagascar: “Madagascar Centre, massif de l’Andringitra (partie orientale), forêt d’Anjavidilava, 2005 m”.

Distribution: Madagascar (central).

Specific localities:

Madagascar – Anjavidilava Forest (TL).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena dyscola Mabille, 1880

Strabena dyscola Mabille, 1880. *Bulletin de la Société Entomologique de Belgique* **23**: 105 (104-109).

Type locality: Madagascar: Dans la partie N.-E. de l’île, à Foulpointe”.

Distribution: Madagascar.

Specific localities:

Madagascar – Foulpointe Island (TL).

Habitat: Unknown (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena sufferti (Aurivillius, [1899])

Ypthima sufferti Aurivillius, [1899] *in* Aurivillius, [1898-9]. *Kungliga Svenska Vetenskapakademiens Handlingar* **31** (5): 76 (1-561).

Strabena sufferti (Aurivillius, 1899). Lees *et al.*, 2003.

Type locality: Madagascar: “Madagaskar”.

Distribution: Madagascar.

Habitat: Forest and forest margins (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena tamatavae (Boisduval, 1833)

Satyrus tamatave Boisduval, 1833. *Nouvelles Annales du Muséum d'Histoire Naturelle, Paris* **2**: 208 (149-270).

Strabena tamatave (Boisduval, 1833). Lees *et al.*, 2003.

Strabena tamatavae (Boisduval, 1833). Thomas Desloges, pers. comm. Dec. 2019.



Strabena tamatavae. Male. Left – upperside; right – underside.
Ranamofana, Madagascar. 10 April 2018. M. Williams.
Images M.C. Williams ex Dobson collection.

Type locality: Madagascar: “Aux environs deTamatave [Toamasina]”.

Distribution: Madagascar (east – Tamatave).

Specific localities:

Madagascar – Toamasina (TL).

Habitat: Transformed grasslands, anthropogenic environments and marshlands (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena zanjuka Mabille, [1885]

Strabena zanjuka Mabille, [1885] *in* Grandidier, [1885-7]. *Histoire, Physique, Naturelle et Politique de Madagascar* pl. 4 (**18** [1887]: 364 pp.; **19** [1885]: 55pls.).

Strabena zanjuka Mabille, [1885]. Mabille, 1887: 25-26. [misspelling].

Strabena zanjuka Mabille, [1885]. Ackery *et al.*, 1995: 310. [misspelling].

Strabena zanjuka Mabille, [1885]. Lees *et al.*, 2003.

Type locality: Madagascar.

Distribution: Madagascar.

Habitat: Unknown (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena perrieri Paulian, 1951

Strabena perrieri Paulian, 1951. *Mémoires de l'Institut Scientifique de Madagascar* (A) **6**: 390 (387-394).

Type locality: Madagascar: “Mt. Tsaratanana, de 1500 à 1800 m, versant S.-O. en forêt”.

Distribution: Madagascar (Sambirano area).

Specific localities:

Madagascar – Mount Tsaratanana (TL).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

Strabena andriana Mabille, [1885]

Strabena andriana Mabille, [1885] *in* Grandidier, [1885-7]. *Histoire, Physique, Naturelle et Politique de Madagascar* pl. 4 (**18** [1887]: 364 pp.; **19** [1885]: 55pls.).

Type locality: Madagascar.

Distribution: Madagascar.

Specific localities:

Madagascar – Antsianaka (Oberthür, 1916); Fianarantsoa (Oberthür, 1916).

Habitat: Forest (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.

vicina Oberthür, 1916 (as sp. of *Strabena*). *Études de Lépidoptérologie Comparée* **11**: 191 (177-244). Madagascar: “d’Antsianaka et de Fianarantsoa”. Treated as a good species by Ackery *et al.* (1995) but tentatively synonymised with *Strabena andriana* Mabille, [1885] by Lees *et al.* (2003).

Strabena argyrina Mabille, 1878

Strabena argyrina Mabille, 1878. *Bulletin de la Société Entomologique de France* (5) **8**: 75 (75-77).

Type locality: Madagascar.

Distribution: Madagascar.

Habitat: Natural grassland and marshlands (Lees *et al.*, 2003).

Early stages: Nothing published.

Larval food: Nothing published.